

# Manchester Heat Pack

Cities can be impacted by a range of weather and climate hazards including extreme heat, heavy rainfall and sea level rise. The Heat Pack provides information on how extreme heat events in your city may change this century due to climate change, the impacts, and how to build resilience to extreme heat.

## WHY ARE CITIES PARTICULARLY VULNERABLE TO HEAT?

Built up urban areas have large amounts of tarmac, concrete and other dark surfaces that absorb heat during the day and release it at night causing cities to be warmer than surrounding rural areas. This Urban Heat Island effect can increase already high background temperatures.

Cities generally have less green and blue spaces, compared to more suburban and rural areas, such as parks, forests, ponds and wetlands that act to cool their surroundings.

Heat emissions from transport and air conditioning units add excess heat into urban environments increasing already high background temperatures by  $\sim 1^{\circ}\text{C}^*$ .

Cities are home to large populations and critical infrastructure such as transport hubs, key government buildings, water and energy supplies. Often these systems are interconnected.



## WHAT ARE THE IMPACTS OF EXTREME HEAT?



Increased heat related illnesses and mortality, particularly among the most vulnerable.




Overheating of buildings and thermal discomfort of inhabitants.



Increased pressure on city services, including green spaces, energy for cooling, water demand and health and social care services.



Disruption to transport from overheating of signalling equipment, buckling of railway lines or damage to road surfaces.



Air quality issues can become worse as air stagnates causing increased health risks.



Reduced staff productivity from negative effects on employee health and wellbeing.


\*Oke et al (2017), Urban Climates. Available at: <https://doi.org/10.1017/9781139016476>  
& Bohnenstengel, S. et al (2014) Available at: <https://doi.org/10.1002/qj.2144>

# HOW IS TEMPERATURE CHANGING ACROSS THE UK?

## CURRENT TRENDS\*


### ANNUAL AVERAGE TEMPERATURE

Since the 1961-1990 period annual average temperatures have increased by 1°C in some parts of the UK.




## FUTURE TRENDS\*\*

In a low emissions scenario†, the annual average temperature of the UK is expected to increase between 0.7-2.4°C\* by the 2080s. In a high emissions scenario, this change could be between 2.1-5.4°C\*. The rate of change will vary across the UK.



### AVERAGE SUMMER TEMPERATURE

Average summer temperatures have also increased:



Hot spells\*\*\* are largely confined to the south-east UK in the present-day and occur on average once every 5 years.




\* Compared to 1961-1990 period.

\*\*Results from UKCP 25km probabilistic projections and compared to 1961-1990 period. The first value in the range represents the 10th percentile (90% chance of being higher than this result) and 90th percentile (10% chance of being higher than this result).

\*\*\*Maximum day time temperatures >30°C for two or more consecutive days

By the 2080s average summer temperatures are projected to increase by:



Under a high emissions scenario, the frequency of hot spells\*\*\* increases to 4 occurrences per year and become more widespread.




†Emissions scenarios refer to the Representative Concentration Pathways (RCPs) used in climate models to describe possible futures based on assumptions about green house gas emissions. In RCP2.6 global emissions are strongly mitigated and reduced. Global temperature rise is kept below 2°C. In RCP8.5 global emissions grow unmitigated and global temperature rise exceeds 4°C.

## HOW IS TEMPERATURE CHANGING IN MANCHESTER?


Observations show that average temperatures in Manchester have increased since the middle of the 20th century. This trend is in line with the rest of UK. Most of this warming has occurred in the last two decades and is projected to continue throughout this century as shown by the warming stripes:

### Annual average temperature change in Manchester compared to 1981-2000

Observed since 1884:



Modelled (high emission scenario):



Concept from Prof. Ed Hawkins #ShowYourStripes

## FREQUENCY OF EXTREME HEAT EVENTS

Below are examples of the heat events in Manchester that have occurred in the last 5 years and their impacts:



### Summer 2018

A prolonged period of dry, warm weather led to a series of wildfires on Saddleworth Moor in Greater Manchester causing significant decline in air quality within the city\*. Temperatures peaked in July with 33.9°C recorded in Greater Manchester.



### July 2022

The Met Office issued red and amber extreme heat warnings and UKHSA issued a level 4 heat-health alert as temperatures reached 37.2°C in Greater Manchester during an unprecedented extreme heatwave.




### Summer 2021

Two hot weather events in July and September are estimated to have caused 155 excess deaths in the North West region\*\*.

## FUTURE CHANGE IN MANCHESTER'S TEMPERATURE

The thermometers show the projected\*\*\* change in average annual and summer temperatures for Manchester over the 21st century, which are in line with projected trends for the UK on page 2.



\*MCCA (2021) Manchester Climate Risk: A Framework for Understanding Hazards & Vulnerability


\*\* UKHSA (2021): <https://www.gov.uk/government/publications/heat-mortality-monitoring-reports/heat-mortality-monitoring-report-2021>

\*\*\*Projections based on high resolution UK Climate Projections (UKCP Local) for a high emissions scenario (RCP8.5) and is the average change across the city. See page 8 for more details.

FUTURE TRENDS IN IMPACT BASED HEAT INDICATORS\*

Global warming levels are used to estimate the date at which global temperatures may reach a certain temperature in the future\*\*.

Heatwaves will happen more frequently, be longer in duration and hotter when they occur.



Proportion of days falling in:  
 Spring Summer Autumn

The number of hot days and nights is projected to increase throughout the 21st century.

Most hot days still happen in summer, but there are also increases in hot days occurring in spring and autumn.


EXAMPLES OF IMPACTS AT DIFFERENT TEMPERATURE THRESHOLDS



**Days above 25°C**  
 Increased risk of heat-related health conditions and mortality. Rail network begins to implement staged precautions to avoid buckling of tracks.




**Nights above 15°C**  
 Prevent the human body cooling down, leading to thermal discomfort, heat related illnesses and mortality, particularly among the vulnerable.



**Days above 30°C**  
 Overhead power lines become less efficient.



**Heatwaves**  
 3 consecutive days when maximum temperature meets or exceeds 25°C. Summer 2020 heatwaves in England are estimated to have caused over 2500 excess deaths, with most observed in the 65+ age group.



**Days above 35°C**  
 Increased transport disruption as extreme precautions, e.g. speed restrictions, implemented to prevent rail buckling and overheating of power sources.

(See page 9 for further resources on temperature thresholds)

\*Results based on UKCP Local projections, for a high emissions scenario (RCP8.5) and are the average across the city. The climate model ensemble median is shown along with the range from the 10th & 90th percentiles.

The results should be interpreted as an approximation of the projected number of days when temperature thresholds are exceeded.

There will be many factors influencing this value including natural variability and local scale processes of a higher resolution than the climate model is able to represent.

\*\*Global warming levels based on UKCP Global projections, for a high emissions scenario (RCP8.5) and relative to pre-industrial period (1850-1900).

The ensemble median is presented. See supplementary document for further information.

## HEAT IMPACTS VARY SPATIALLY ACROSS A CITY



The age, condition and type of building fabric can cause some neighbourhoods to be warmer than others.



The presence of green spaces and bodies of water have a cooling effect.




The positioning of buildings can promote or inhibit air flow.

All of these factors will determine how heat is distributed across the city under both current and future climate.

## WARM DAYS >25°C IN SUMMER

The average number of days in summer when daily maximum temperatures are greater than 25°C, under a high emissions scenario\*.



Parts of the city could experience ~20 days above 25°C in summer


Heaton Park

Manchester Royal Infirmary

Manchester Piccadilly transport hub


Some of Manchester's key infrastructure and services may be impacted by more extreme temperatures.

By the end of this century up to half of summer days could reach over 25°C across the city.



\*Results based on UKCP Local projections, for a high emissions scenario (RCP8.5) and the ensemble median. The results should be interpreted as an approximation of the projected number of days when temperature thresholds are exceeded. There will be many factors influencing this value including natural variability and local scale processes of a higher resolution than the climate model is able to represent.


## HEAT IMPACTS VARY SPATIALLY ACROSS A CITY



Climate information can be combined with data on population, socio-economics, health and built environment and infrastructure to understand the city's exposure and vulnerability to heat hazards.

## WARM NIGHTS >15°C IN SUMMER

The average number of days in summer when daily minimum temperatures are greater than 15°C under a high GHG emissions scenario\*.




Warm nights are an important factor for heat-health impacts.

The Urban Heat Island effect can be seen with central areas of the city experiencing greater numbers of warm nights than the city edges.

Towards the end of the century some parts of the city could experience two thirds of summer nights above 15°C.

These wards have the highest proportion of people aged 75+ who can be more sensitive to heat health impacts.

These wards have the highest population densities in the city exposing more people to the heat hazard.



\*Results based on UKCP Local projections, for a high emissions scenario (RCP8.5) and the ensemble median. The results should be interpreted as an approximation of the projected number of days when temperature thresholds are exceeded. There will be many factors influencing this value including natural variability and local scale processes of a higher resolution than the climate model is able to represent.

## HEATWAVE PLANNING, CO-ORDINATION & RESPONSE

### RESOURCES FOR HEATWAVE PREPARATION

#### Early warning

- Met Office [extreme heat warnings](#) for the public.
- [Heat-Health Alert Service](#) for health and social care professionals in England.
- Met Office [heatwave forecasts](#).

#### Planning

- Regional severe weather plans and the [Heatwave Plan for England](#) set out coordinating actions for organisations and individuals.
- The [Health & Safety Executive](#) provide guidance for working in hot weather.

#### Action

- The [UK Health Security Agency](#), [NHS](#), [Met Office](#), [Age UK](#), [RSCPA](#) and [British Red Cross](#) provide information and useful resources on how to cope in hot weather.

### ADVICE FOR DURING A HEATWAVE



Look out for those who may struggle to keep themselves cool and hydrated. Older people, under 5's, those with underlying conditions and those who live alone are particularly at risk.



Never leave anyone in a closed, parked vehicle, especially infants, young children or animals.




Close curtains on rooms that face the sun to keep indoor spaces cooler. It may be cooler outdoors than indoors.



Walk in the shade, use cool spaces, apply sunscreen and wear a wide-brimmed hat, if you have to go out in the heat.



Drink plenty of fluids and avoid excess alcohol.



Avoid physical exertion and try to keep out of the sun between 11am to 3pm, when the UV rays are strongest.

### BUILDING LONGER TERM URBAN HEAT RESILIENCE

The [UK Climate Change Risk Assessment](#) sets out actions for the next 5 years to tackle risks from high temperatures:

- Updating building regulations to address overheating.
- Retrofitting of existing buildings e.g. green roofs, shading, reflective surfaces.
- Coordination between decarbonisation and adaptation strategies.
- Adaptation reporting by businesses and collection of business continuity information.
- Implementing green infrastructure.
- Mainstreaming climate change adaptation into planning and design of new transport infrastructure.

Manchester has developed strategies, plans, evidence and initiatives to address the climate emergency and guide climate action within the city:

- [Manchester Climate Change Framework](#)
- [Manchester Climate Ready](#)
- [Making Manchester Fairer](#)
- For further information see [the Council's action on climate change page](#)


#### PROVIDE YOUR FEEDBACK

We'd like to hear your feedback on the Heat Pack to understand how it is being used. Please fill in the short form using this [link](#) or QR code to share your thoughts.




## THE SCIENCE BEHIND THE HEAT PACK

Local-scale information from high resolution climate projections are extremely useful for understanding climate change in cities. This Heat Pack uses the Met Office’s state of the art high resolution UK Climate Projections (UKCP Local) to understand how heat hazards may change in UK cities over the 21st century.



The UKCP Local projections include a more detailed urban land surface compared to other climate model projections, giving a better representation of urban climate effects, such as the urban heat island.

UKCP Local is driven by the Met Office’s Hadley Centre Global Climate model, which has a higher climate sensitivity to greenhouse gases compared to other models and therefore tends to be on the warmer end of the warming climate response. Furthermore, UKCP Local is driven by a high emissions scenario called RCP8.5. This represents a future where global greenhouse gas emissions continue to grow beyond current policy commitments, leading to a large global temperature rise sooner rather than later under lower emissions scenarios as illustrated below. The heat pack therefore helps decision makers adopt a precautionary approach.



UKCP Local provides information for two future time periods, 2021-2040 and 2061-2080, which reflect global warming levels of 2°C and 4.5°C warming, respectively.

The Committee on Climate Change (CCC) advises the UK to adapt to a 2°C rise in global temperatures, whilst assessing the risk for 4°C\*.

The Heat Pack therefore provides a useful comparison of impacts that could be expected at 2°C and at a more precautionary 4.5°C.

Graph for illustrative purposes only.

\*Committee on Climate Change (2021) Independent Assessment of UK Climate Risk.

Available at: <https://www.theccc.org.uk/wp-content/uploads/2021/07/Independent-Assessment-of-UK-Climate-Risk-Advice-to-Govt-for-CCRA3-CCC.pdf>



## FIND OUT MORE

### Current Trends in UK Climate

Latest State of the UK Climate report:

<https://www.metoffice.gov.uk/research/climate/maps-and-data/about/state-of-climate>

### Future Trends in UK Climate

UK Climate Projections Headline Findings report:

<https://www.metoffice.gov.uk/binaries/content/assets/metofficegovuk/pdf/research/ukcp/ukcp-headline-findings-v2.pdf>

### Observation data used in climate stripes

HadUK Grid:

<https://www.metoffice.gov.uk/research/climate/maps-and-data/data/haduk-grid/haduk-grid>

### UK Climate Projections (UKCP) Local 2.2km

<https://www.metoffice.gov.uk/research/approach/collaboration/ukcp/index>

<https://www.metoffice.gov.uk/binaries/content/assets/metofficegovuk/pdf/research/ukcp/ukcp18-factsheet-local-2.2km.pdf>

Convection-permitting model projections – science report:

<https://www.metoffice.gov.uk/research/approach/collaboration/ukcp/science/science-reports>

UKCP18 Science Overview Report:

<https://www.metoffice.gov.uk/pub/data/weather/uk/ukcp18/science-reports/UKCP18-Overview-report.pdf>

### Extreme Heat Indicators

Public Health England (2022) Heatwave Plan for England

<https://www.gov.uk/government/publications/heatwave-plan-for-england>

London Climate Change Partnership / Environment Agency (2012) Heat Thresholds Report

[http://climatelondon.org/wp-content/uploads/2013/01/LCCP\\_HeatThresholds\\_final-report-PUBLIC.pdf](http://climatelondon.org/wp-content/uploads/2013/01/LCCP_HeatThresholds_final-report-PUBLIC.pdf)

Public Health England (2020) Heatwave mortality monitoring report: 2020

<https://www.gov.uk/government/publications/heat-mortality-monitoring-reports/heat-mortality-monitoring-report-2020>

N.W. Arnell, A.L. Kay, A. Freeman, A.C. Rudd, J.A. Lowe, (2021) Changing climate risk in the UK:

A multi-sectoral analysis using policy-relevant indicators. Climate Risk Management, Vol 31

<https://doi.org/10.1016/j.crm.2020.100265>

## FUNDING

This work was supported by the UK Research & Innovation (UKRI) Strategic Priorities Fund [UK Climate Resilience programme \(UKCR\)](#) and [CSSP China](#).

UKCR is co-delivered by Met Office and NERC on behalf of UKRI partners AHRC, EPSRC, ESRC.

CSSP China is part of the Weather and Climate Science for Service Partnership Programme, supported by the UK-China Research and Innovation Partnership Fund as part of the Newton Fund.

### CONTACT DETAILS

Email:

[urbanclimateservices@metoffice.gov.uk](mailto:urbanclimateservices@metoffice.gov.uk)

Website:

[www.metoffice.gov.uk](http://www.metoffice.gov.uk)